

1. Communication method between a network client and a network server, wherein a network document requested by the network client is sent from the network server to the network client and displayed by a browser of the network client to the user for processing, wherein the changes and supplements carried out by the user on the network document on the network client, are recorded on the network client via software and stored in the network server as user-specific data and wherein, when the network document is loaded again by the user, the network document generated during previous loading on the network client through the interaction with the user, is restored on the basis of the stored user-specific data.
2. Communication method according to claim 1, wherein the changes and supplements carried out by the user on the network document are at first intermediately stored on the network client in particular in the main storage or on the fixed disk.
3. Communication method according to claim 1, wherein the network server creates a specific region in a database for the user-specific data.
4. Communication method according to claim 1, wherein in a first loading of a network document, the network client or the user is identified.
5. Communication method according to claim 1, wherein the document changed or supplemented by the user is recorded on the network client and is stored in the network server in a browser-independent format, in particular in XML.
6. Communication method according to claim 1, wherein the stored user-specific data of the network server is interpreted on the network client and a format is generated therefrom which the network browser can read.
7. Communication method according to claim 1, wherein the changes and supplements carried out by the user on the network document are at first intermediately stored on the network client in particular in the main storage or on the fixed disk, wherein the network server creates a specific region in a database for the user-specific data, wherein in a first loading of a network document, the network client or the user is identified, wherein the document changed or supplemented by the user is recorded on the network client and is stored in the network server in a browser-independent format, in particular in XML, and wherein the stored user-specific data of the network server is

8. Computer product which is suitable for carrying out all the steps of the communication method according to claim 1, if the program runs on a computer.

10. Computer product according to claim 8, wherein the computer product is a computer-readable storage medium.